



This wood veneer acoustical plank by Woodzco is part of the ELEMENT collection that combines design, warmth, and modularity to enhance any space.

With two (2) possible configurations and four (4) standard wood veneer species available in 8-foot length, this collection is designed to meet the needs of the most demanding creative projects.

Manufactured in Canada to the highest industry standards, with a strong commitment to acoustic performance and tailor-made solutions.

Key features

- » An ideal choice for residential, commercial, and institutional projects
- » Pre-assembled rigid planks engineered for simplified on-site installation
- » Designed for interior installation on ceilings
- » Four standard species of wood veneer
- » Customization available for all components



CAN/ULC S102 FS1 < 25 SDI < 50
ASTM E-84 CLASS A



ACOUSTICS NRC < 0.60

Specifications

WOOD VENEER SPECIES	Standard wood veneer: Cherry (flat cut), Maple (flat cut), Walnut (flat cut) and White Oak (rift cut)
PLANK SIZES	<ul style="list-style-type: none"> 8-foot length plank: 4-1/2" x 96" (95 mm x 2 438 mm) 8-foot length plank: 6" x 96" (133 mm x 2 438 mm)
ASSEMBLY	Pre-assembled and delivered with acoustic material
WOOD PLANKS	<ul style="list-style-type: none"> Natural moisture resistant (MR) MDF - Fire rated (FR) Various standard sizes available (refer to the configuration chart) Wood veneer on four (4) sides of the MDF for increased stability (face, back and two long sides) Available with a premium matte oil finish, clear or colored and/or a clear satin varnish
CUSTOMIZATION	*Custom options available (minimum order of 400 sq.ft.)

Technical data

FIRE PERFORMANCE	<ul style="list-style-type: none"> CAN/ULC S102 (FSI < 25; SDI < 50) ASTM E-84 (Class A)
ACOUSTICS	<ul style="list-style-type: none"> Acoustic options available to suit project requirements Noise Reduction Coefficient (NRC) up to 0.60 (conditions apply) Refer to the acoustic chart
ENVIRONMENT	<ul style="list-style-type: none"> LEED v5 FSC certification available No Added Formaldehyde (NAF) product available
USE	For interior uses only
SHIPPING	Woodzco products are carefully packaged at the factory and shipped in bulk on wooden pallets
SITE CONDITIONS	<ul style="list-style-type: none"> Wood products are naturally hygroscopic and must be stored flat, installed, and maintained in a controlled indoor environment Temperature: maintain between 50 °F and 86 °F (10 °C and 30 °C) Relative humidity: maintain between a minimum of 25 % and a maximum of 55 % (with no more than 20 % difference between maximum and minimum) <p>Failure to comply with one or more of these on-site conditions will void Woodzco's limited warranty</p>
WARRANTY	Three (3) year warranty on all Woodzco products. Please refer to Woodzco's limited warranty on our website for full details

LEED V5	RECYCLED CONTENT: UP TO 95%
MATERIALS AND RESSOURCES (MR)	INDOOR ENVIRONMENTAL QUALITY (IEQ)
MRc3 Low Emitting Materials ✓	EQc2 Occupant Experience ✓
VOC Emissions (CDPH) ✓	Option 1 Biophilic ✓
Formaldehyde Emissions (CARB) ✓	Path 1 Integrated Biophilic Design ✓
	Option 4 Sound Environment ✓
	Third parties CDPH ✓
	Pre-consumer Recycled ✓




FE © 2026, Woodzco. All rights reserved.

ACOUSTICAL PROPERTIES

ELEMENT PLANK

Simulation	Plank sizes	Plank height	Space between planks	OA %	NRC
1	3-3/4" x 96"	3/4"	3/4"	17	0.60
2	5-1/4" x 96"	3/4"	3/4"	12	0.45

Table 1. The noise reduction coefficient (NRC) is expressed in corrected simulated values with an E-400 setup using 1-inch acoustic material.




CONFIGURATIONS

96" length plank

PRODUCT CODE		PLANK	WOOD PLANK SIZES		SPACE BETWEEN PLANKS		OPEN AREA	PLANK THICKNESS		AVERAGE WEIGHT	
ITEM	QTY		MM	INCHES	MM	INCHES	%	MM	INCHES	KG/SF	LBS/SF
EKV 13 MP_L8	1		95 x 19	3-3/4 x 3/4	19	3/4	17	19	3/4	1.4	3.0
EKV 13 WO_L8	1		95 x 19	3-3/4 x 3/4	19	3/4	17	19	3/4	1.4	3.0
EKV 13 CY00 L8	1		95 x 19	3-3/4 x 3/4	19	3/4	17	19	3/4	1.4	3.0
EKV 13 WN00 L8	1		95 x 19	3-3/4 x 3/4	19	3/4	17	19	3/4	1.4	3.0
EKV 15 MP_L8	1		133 x 19	5-1/4 x 3/4	19	3/4	12	19	3/4	1.4	3.0
EKV 15 WO_L8	1		133 x 19	5-1/4 x 3/4	19	3/4	12	19	3/4	1.4	3.0
EKV 15 CY00 L8	1		133 x 19	5-1/4 x 3/4	19	3/4	12	19	3/4	1.4	3.0
EKV 15 WN00 L8	1		133 x 19	5-1/4 x 3/4	19	3/4	12	19	3/4	1.4	3.0

EXAMPLE ITEM NUMBER KEY



INSTALLATION

Refer to the installation guide for complete details.

FINISHING


Oil Colors

Available in six (6) standard colors with a premium matte oil finish and/or clear satin varnish, with custom options available*



Wood Veneer Species

Available in four (4) standard wood veneer species, with additional wood species available upon request*




Finishing Wood Color

- Maple and White Oak are available in six (6) standard colors: Natural (00), White (01), Gray (02), Medium Brown (03), Dark Brown (04) and Black (06)
- Cherry and Walnut are only available in Natural (00)

Acoustic Material Color (6.4 mm)

Available in only one (1) standard color, with other options available*



Plank length

Available in only one (1) standard length (L): 96" (8)

Disclaimer: A single sample may not accurately represent the full range of natural variations that can be expected. Due to the inherent properties and characteristics of wood, these samples should be considered an approximation of the effect that may be achieved. Some wood species exhibit greater natural appearance variations than others. We have made every effort to make the colors as accurate as possible. Please allow a tolerance of 1/16" in the actual dimensions of all our products. Due to continual product improvement, the information contained in this document is subject to change without notice. Woodzco assumes no responsibility for any errors or omissions that may have occurred inadvertently in this document.

* For further information, contact your Woodzco representative. Certain conditions apply.