



The PET acoustical sheet collection by Woodzco is designed to provide an elegant and effective solution to sound management challenges in interior spaces. Made from recycled PET fibers, these panels combine acoustic performance with environmental sustainability, while offering a contemporary aesthetic and a high level of application versatility.

With four (4) standard colors available in 4' x 8' sheet, this collection is a sustainable, aesthetically pleasing solution that is easy to integrate into various types of projects.

Manufactured in Canada to the highest industry standards, with a strong commitment to acoustic performance and tailor-made solutions.

Key features

- » Sound absorption thanks to high-performance acoustic properties
- » An ideal choice for residential, commercial, and institutional projects
- » Light-weight semi-rigid sheets; easy to cut & install
- » Designed for interior installation on walls and ceilings
- » Four standard colors - other colors available on request
- » Non-toxic, non-irritating and non-allergenic

Specifications

MATERIAL	100% PET Fiber
SHEET SIZE	· 8-foot length panel : 48" x 96" (1 220 mm x 2 440 mm)
SHEET THICKNESS	· 9mm (+/-0.5mm) (3/8")
RECYCLED CONTENT	· Recycled PET plastic material · Minimum 50% post-consumer recycled content (i.e., plastic bottles)

Technical data

FIRE PERFORMANCE	· CAN/ULC S102 (FSI < 25) · ASTM E-84 (Class A)
ACOUSTICS	· Acoustic options available to suit project requirements · Noise Reduction Coefficient (NRC) up to 0.75 (subject to mounting conditions)
USE	For interior uses only
SHIPPING	Woodzco products are carefully packaged at the factory and shipped in bulk on wooden pallets · Products must be stored flat, installed, and maintained in a controlled indoor environment · Temperature: maintain between 10 °C and 30 °C (50 °F and 86 °F)
SITE CONDITIONS	· Relative humidity: maintain between a minimum of 25 % and a maximum of 55 % (with no more than 20 % difference between maximum and minimum) Failure to comply with one or more of these on-site conditions will void Woodzco's limited warranty
WARRANTY	Three (3) year warranty on all Woodzco products. Please refer to Woodzco's limited warranty on our website for full details

LEED V5		RECYCLED CONTENT: UP TO 50%	
MATERIALS AND RESSOURCES (MR)		INDOOR ENVIRONMENTAL QUALITY (IEQ)	
MRc3 Low Emitting Materials	✓	EQc2 Occupant Experience	✓
VOC Emissions (CDPH)	✓	Option 4 Sound environment	✓
Formaldehyde Emissions (CARB)	✓	OEKO-TEX	

CONFIGURATIONS

PET 9MM TEXTILE

PRODUCT CODE	SHEET SIZES		COLORS	SHEET THICKNESS		AVERAGE WEIGHT	
	MM	INCHES		FINISHING	MM	INCHES	KG/SF
TSF 09N L8	1 220 x 2 440	48 x 96	Black	9	3/8	0.15	0.35
TSF 09F L8	1 220 x 2 440	48 x 96	Dark Gray	9	3/8	0.15	0.35
TSF 09M L8	1 220 x 2 440	48 x 96	Medium Gray	9	3/8	0.15	0.35
TSF 09B L8	1 220 x 2 440	48 x 96	Beige	9	3/8	0.15	0.35


INSTALLATION

Refer to the installation guide for complete details.

FINISHING

PET 9mm Textile Colors

Available in four (4) standard colors. Other colors available, certain conditions apply.



Disclaimer: A single sample may not accurately represent the full range of natural variations that can be expected. The information contained in this document is subject to change without notice. Woodzco assumes no responsibility for any errors or omissions that may have occurred inadvertently in this document.

* For further information, contact your Woodzco representative. Certain conditions apply.